

ISSN : 2309-3234

DOI : 10.62948

TMSS Medical College Journal (TMCJ)

Volume 25, Issue 02, July 2026

Contents

Editorial

- ♦ Medical Care in War and Armed Conflict: When Humanity Must Remain above the Battlefield. 07-09
Montasir AA, Alwawi AA, Abdullah OD

Original Article

- ♦ Knowledge Regarding Drowning among Rural People in a Selected Area of Joypurhat, Bangladesh. 11-17
Zannat K, Habib A, Tasnim T, Ansari AAM, Hoque SMU, Akter R
- ♦ Assessment of Serum Lipid Profile among Patients with Non Alcoholic Fatty Liver Disease by Ultrasonography. 19-27
Hossan MA, Ray J, Acharjee U
- ♦ ABody Mass Index at Third Trimester and Pregnancy Outcome in the Bangladeshi Population Attending a Tertiary Care Hospital. 29-37
Begum A, Montasir AA, Nazim R, Neeger MN, Ghosh UK, SoniaAA
- ♦ Role of Serum Uric Acid and Creatinine as a Prognostic Indicator of the Severity of Maternal and Fetal Complications in Preeclampsia. 39-45
Siddiqua S, Alamgir MH, Parvin A, Afrin F
- ♦ Laboratory-Based Surveillance of Dengue, Malaria, Syphilis, and Viral Hepatitis in Three Rohingya Refugee Camps in Cox's Bazar, Bangladesh. 47-54
Murshid ME, Islam S, Akhiruzzaman, Asha DA, Rahaman MM
- ♦ Study of Sacral Hiatus and its Implication in Caudal Epidural Block. 55-61
Khanam A, Sarker MSA, Naznin RA, Benzir M, Akter T, Talukder AP

Case Report

- ♦ Measles in Adult Patients: A Case Series of 15 Cases from the Medicine Inpatient Department of TMSS Medical College, Bangladesh. 63-66
Montasir AA, Iqbal F, Rahman A, Hossain Z, Ahmad FU, Afrin J



An Official Publication of TMSS Medical College



TMSS Medical College Journal (TMCJ)

July 2026

An Official Publication
of
TMSS Medical College, Bogura, Bangladesh

TMSS Medical College Journal (TMCJ)

Volume 25, Issue. 02, July 2026

An Official Publication of TMSS Medical College, Bogura, Bangladesh

Advisory Board

Prof. Dr. Hosne-Ara Begum
 Prof. Dr. Jawadul Haque
 Prof. Dr. Sayeba Akhter
 Prof. Dr. M. Afzal Hossain
 Prof. Dr. M. Aminul Islam
 Prof. Dr. Shamima Parvin Lasker

Editorial Board

Chairperson : Prof. Dr. Md. Zakir Hossain
Editor-in-Chief : Prof. Dr. Md. Shahjahan Ali Sarker
Associate Editor : Prof. Dr. Md. Abdul Mazid
Advisory Editor : Prof. Dr. Moudud Hossain Alamgir
Managing Editor : Dr. Md. Matiur Rahman

Local Members

Prof. Dr. A.K.M Ahsan Habib
 Prof. Dr. Md. Azfarul Habib
 Prof. Dr. Md. Rafiqul Islam
 Prof. Dr. Md. Anup Rahman Choudhury
 Prof. Dr. Nur-A-Farhana Islam
 Prof. Dr. Nahida Akther Zahan
 Prof. Dr. Tania Yeasmin
 Prof. Dr. Sultana Razia
 Prof. Dr. Shamim Ahmed Choudhury
 Prof. Dr. Md. Amirul Islam
 Dr. D. M Arifur Rahman
 Dr. Fahim Uddin Ahmad
 Dr. Md. Ahamedul Kabir

International Members

Prof. Dr. Dhananjaya Sharma
 Prof. Dr. Anurag Srivastava
 Prof. Dr. Shariq Rashid Mosoodi
 Prof. Olav Muurlink
 Prof. Dr. Paul Mailwaring
 Prof. Dr. Md. Faizus Sazzad
 Prof. Soraj Hongladarom
 Prof. Ravichandran Moorthy
 Prof. Darryl Macer
 Prof. Dr. Hasan Erbay

The TMSS Medical College Journal (TMCJ) is published two times a year (January and July). The TMSS Medical College Journal (TMCJ) is approved by Bangladesh Medical & Dental Council (BM&DC/4-D-2016/1478: Dated 15.01.2017). It accepts original articles, review articles and case reports. While every effort is always made by the Editorial Board and the members of the Journal Committee to avoid inaccurate or misleading information appearing in the TMSS Medical College Journal, information within the individual article are the responsibility of its author(s). The TMSS Medical College Journal, its Editorial Board and Journal Committee accept no liability whatsoever for the consequences of any such inaccurate and misleading information, opinion or statement.

Address of Correspondence

Editor-in-Chief, TMSS Medical College Journal, TMSS Medical College
 Rangpur Road, Thengamara, Bogura, Bangladesh. Phone: 01775-316617
 e-mail: editortmcjournal@gmail.com, Web: www.tmcjournal.org, www.tmssmedicalcollege.com

Printed by: TMSS Printing Press, Bogura, Bangladesh. e-mail: tmssprintingpress@gmail.com

TMSS Medical College Journal (TMCJ)

INFORMATION FOR AUTHORS

TMSS Medical College Journal (TMCJ) follows the guidelines and principles of the International Committee of Medical Journal Editors- ICMJE (www.icmje.org) and the COPE (www.publicationethics.org). Papers are accepted for publication with an understanding that they are submitted solely to the journal of 'TMSS Medical College Journal' and are subject to peer review and editorial revision. The statement, views and opinions expressed in the articles are those of the author(s) and are not necessarily those of the editor or publisher.

General Instructions

- a. Article must be within 5 years of research work.
- b. Authors of research work should be of relevant fields.
- c. Manuscript must be in English, Use Times New Roman 11 sized font.
- d. Type manuscripts double-spaced, on a good quality A4 sized paper, including references, figures with legends and tables on one side of the page only.
- e. Leave a margin of 05 cm on all sides of the page. Beginning with abstract page, all the pages (including pages containing tables, figures and references) will contain page numbers at the lower right-hand corner.
- f. Cite each reference in text in numerical order and list in the reference section.
- g. Begin each component of the manuscript with a new page in the sequence of (i) Title page with author information, name of the department(s) and institutions to which the work should be attributed, name and address of the author with post code responsible for correspondence and requests for reprints (ii) Abstract page (iii) Text (iv) References (v) Tables (vi) Figures with legends, for illustrations.
- h. Present the text in the sequence of Introduction, Methods & Materials, Results and Discussion.
- i. Use SI units of measurements (for blood pressure use mm of Hg).
- j. Define Statistical methods in method section of the paper.
- k. Use standard abbreviations, the full forms of which should precede in its first use in the text
- l. As a general rule, articles should not exceed 10-12 pages. Too much large volume manuscripts will not be accepted for publication.

Submission process

With two copies of manuscript (hard copy) directly or by courier or postal services to Editor-in-chief, TMSS Medical College Journal and/or A soft copy of Manuscript (MS Word) must be sent to editortmcjournal@gmail.com with scanned copy of all desired documents. Online submission will be possible through <https://www.tmcjournal.org>

Covering letter

Article must be accompanied by a covering letter, signed by all authors, containing statements that they are the only authors, The article represents original work and we take full responsibility for the information provided, the Manuscript has not been published elsewhere, accepted for publication elsewhere or under editorial review for publication elsewhere by any other journal. All copyright ownership of the manuscript will be transferred to the publishers of the TMSS Medical College Journal (TMCJ) once the article is accepted for publication in the journal. They must declare that they made the manuscript plagiarism free. On submission of the manuscript, the authors agree not to withdraw their manuscript at any stage prior to publication. Acknowledgements, Conflicts of interest & Funding are clearly mentioned, if any.

Author's contribution

In case of multiple authors, need an author contribution certificate (or statement) about specific contribution of each author in the study and the manuscript has been seen and approved as well as the order of authors in the manuscript.

Ethical Issues

Author must submit a copy of clearance certificate from an Institutional Ethical Review Board (IERB) or Institutional review Board (IRB) or Ethical Committee or from any authorized body along with the manuscript & mention the memo number within bracket in the methodology section while describing ethical issues.

Title page with author information (first page, but do not number)

- a. Full title of the article not exceeding 50 words with three to five key words for use as indexing terms and as running title for use on top of the text pages.
- b. Author's names, highest academic degree, affiliations, and complete address for correspondence including Telephone/Mobile number, and e-mail address.

Abstract page (First numbered page)

- a. Do not cite references in the abstract. Be concise (250 words, maximum).
- b. Limit use of acronyms and abbreviations. Abbreviations must be defined at the first mention.
- c. The abstract should be a total of about 250 words maximum. Abstract should cover Background and Purpose (description of rationale for study); Methods (brief description of methods); Results (presentation of significant results); and Conclusion (succinct statement of data interpretation) in separate headings.

The Text/Main body

The following are typical main headings:

Introduction, Materials and Methods, Results, Discussion and Conclusion

- a. Introduction: Summarize the rationale for the study with pertinent references. The purpose(s) of the study should be clearly stated.
- b. Materials and Methods: Identify type of study and describe the study subjects and methods used. Provide methods of statistical analysis, Cite reference(s) for standard study and statistical methods. Describe new or modified methods. Identify apparatus (with name and address of manufacturer) used. Generic names of drugs must be given. Manuscripts that describe studies on humans must indicate that the study was approved by an Institutional Ethical Committee and that the subjects gave informed consent. Add statistical analysis.
- c. Results: Present only important results/observations in logical sequence in the text, tables or illustrations with relevant statistics.
- d. Discussion: Emphasize new and important results and the conclusions that follow including implications and limitations. Relate observations to other relevant studies.
- e. References: References must be listed following the Vancouver style. These should be numbered consecutively in the order in which they are first mentioned in the text as superscript number. Number of references should be kept below 40 except review article. All authors must be listed if less than six. Use et al, if more.
- f. Table & Figures: Tables & figures should be placed within the text of the manuscript. Number of tables & figures consecutively in the order of their first citation in the text. Tables should not duplicate in the text of the article and avoid internal horizontal & vertical rules. Total number of tables & figures must not exceed 10.

Editorial**Medical Care in War and Armed Conflict: When Humanity Must Remain above the Battlefield**MontasirAA^{1*}, Alwawi AA², Abdullah OD³

1. Dr. Ahmed Al Montasir, Assistant Professor, Department of Medicine, TMSS Medical College, Bogura.

2. Dr. Abdallah A Alwawi, Assistant Professor of Medical & Critical Care, Faculty of Health, Professions, Al-Quds University, Abu Dies, Jerusalem 51000, Palestine.

3. Dr. Omar dheyaab Abdullah, Consultant of Medicine, Al-Ramdi hospital, Iraq.

Corresponding Author*Medical Care in War: A Humanitarian Imperative**

War can transform a regular functioning hospital into a mass-casualty centre within hours. Trauma due to conflicts surges in war while childbirth, sepsis, diabetes, dialysis, cardiovascular emergencies and cancer continue. Damage to power, water, oxygen, blood supply, laboratories, pharmacies, transport and communications therefore produces deaths far beyond the immediate battlefield. International humanitarian law requires protection not only of the wounded and sick, but also of medical personnel, irrespective of nationality, religion, ethnicity, political identity or combatant status.¹

When the Health System Becomes a Casualty

Health systems fail as networks. An operation theatre cannot function without electricity, oxygen, sterilization, anaesthesia, blood and trained staff. Threats, barricades and attacks delay ambulances, displace health workers and deter patients from seeking care. WHO has verified thousands of attacks on health care in Ukraine, while the occupied Palestinian territory has experienced severe degradation of essential services. Each damaged facility represents interrupted surgery, missed dialysis, unsafe childbirth and delayed treatment for infection and chronic disease.¹⁻³

Regional Realities

Gaza illustrates the agony of mass casualties, repeated displacement, damaged hospitals and shortages of food, water, fuel, medicines and consumables. In May 2025, WHO reported that only 19 of 36 hospitals remained operational, including one providing only basic care.³ Aggression has affected renal, maternal, neonatal, cancer, laboratory, mental-health and

rehabilitation services; delayed evacuation can trap patients needing advanced reconstructive, cardiac, oncological or neurosurgical care.⁴ A 2025 BMJ survey of 78 international healthcare workers deployed to Gaza documented 23,726 trauma-related injuries, with burns and limb injuries prominent and explosive mechanisms accounting for most weapon-related trauma, underscoring the need for sustained surgical, rehabilitation and clinical-surveillance capacity.^{4,5}

In the West Bank, checkpoints, road closures, insecurity of medical personnel and restriction of ambulance movements turn a short journey inpatient into a long, critical outcome for obstructed labour, acute coronary syndrome, sepsis, dialysis or chemotherapy. These access challenges have continued in 2026. According to WHO data reported by OCHA, 53 attacks on health care were documented between January and June 2026, affecting four health facilities and 44 ambulances; obstruction of access was the most frequently reported form of interference. Gaza and the West Bank therefore demonstrate complementary failures-loss of capacity and restriction of access.³⁻⁵ Iraq demonstrates the cumulative history of repeated conflict, displacement, underinvestment and workforce loss. The Mosul experience showed that survival depends on the entire trauma pathway, from first aid and safe transport to referral surgery and rehabilitation; persistent gaps may remain long after active fighting.⁵ Iran's 2026 regional escalation showed how rapidly specialist services can be threatened. WHO reported 18 verified attacks on health care between 28 February and 11 March 2026. Conflict interrupted dialysis, insulin supply, cancer therapy, transplantation follow-up, blood transfusion services and emergency cardiac care. Transport

disruption can affect humanitarian supply chains beyond national borders, as it happened in Ukraine.²⁻⁵ Lebanon entered recent hostilities with economic crisis, workforce emigration and medicine shortages already weakening the system. By 16 October 2024, WHO had verified 23 attacks on health care after the September escalation, and 100 of 207 primary-care centres and dispensaries in conflict-affected areas were closed. Subsequent reports emphasized deaths and injuries among health workers, reduced hospital function and prolonged rehabilitation needs.²⁻⁵

The Ethical Compass of the Physician

Conflict does not suspend medical ethics. Humanity, impartiality, confidentiality, dignity and professional independence remain essential. In mass-casualty triage, priority should reflect physiological urgency, time sensitivity, likelihood of benefit and available resources—not social worth, rank, wealth, nationality, ethnicity, religion or political affiliation. Decisions should be transparent, consistent and repeatedly reassessed. When curative treatment is impossible, analgesia, symptom control, communication, psychological support and palliative care remain obligations.^{1,4,5}

Beyond Trauma: Preserve Essential Services

Conflict medicine must extend beyond blast and penetrating injuries. Pregnant women still need safe delivery; premature infants need warmth, oxygen and nutrition; patients with diabetes need insulin; kidney failure requires dialysis; and tuberculosis, HIV, epilepsy, asthma, COPD, cardiovascular disease and malignancy require continuity of therapy. Humanitarian planning should protect a minimum package of essential services, referral routes and stocks of priority medicines.^{3,4,5} Displacement increases overcrowding, unsafe water, poor sanitation, food insecurity and interrupted vaccination, raising communicable-disease and malnutrition risks. Effective response therefore requires primary care, maternal and child health, infection prevention, surveillance, rehabilitation and palliative care alongside emergency surgery.^{4,5}

Mental Health and the Health Workforce

War produces bereavement, displacement, family separation and prolonged insecurity. WHO estimates that about one in five people exposed to war or conflict in the preceding decade lives with a mental disorder such as depression, anxiety or post-traumatic stress disorder.⁶ Recent studies show the particular burden on healthcare workers. In a 2025 cross-sectional study of Palestinian and international healthcare workers who had worked in Gaza, approximately 90% of respondents experienced severe depression, severe anxiety and severe stress, alongside displacement, prolonged work without adequate rest, food insecurity, workplace aggression and loss of colleagues.⁷ Evidence from the southern West Bank likewise demonstrates substantial psychological strain among nurses working during the Gaza war, including symptoms consistent with post-traumatic stress disorder, increased workload, burnout and shortages of staff and medical supplies.⁸ Health workers therefore face not only burnout and grief but also moral distress and moral injury when they know what patients need but cannot provide it. Staff protection should include reasonable rotation, peer support, confidential mental-health care, adequate staffing and clear leadership.

Protecting Medical Neutrality and Building Resilience

Protection must cover the entire chain of care: patients, first responders, ambulances, hospitals, laboratories, pharmacies, blood banks and humanitarian supply routes. Violence, threats, detention, obstruction and interference with impartial care weaken every link. Medical neutrality preserves the professional space to treat every wounded or sick person according to need; it safeguards patients, trust and the integrity of medicine.^{1,8} Hospitals should map dependencies on power, water, oxygen, blood, medicines, information systems and supply routes; establish redundancies; and train staff in triage, haemorrhage control, trauma resuscitation, burns, emergency anaesthesia, infection prevention, evacuation, psychological first aid and ethical allocation. Recent conflict-focused literature emphasizes protection of essential infrastructure, physical hospital preparedness and alternative sources

of water and electricity, while broader evidence from fragile and conflict-affected settings frames resilience as the capacity to absorb shocks, adapt services and, where necessary, transform health-system operations.⁹ Portable ultrasound, point-of-care testing, telemedicine, offline records, decentralized stocks and distributed referral pathways may help maintain continuity when centralized systems are disrupted, but resilience ultimately depends on trained people, simple protocols, local supply capacity and trusted coordination.^{4,5,9}

A Responsibility Beyond Borders

Professional bodies, universities, journals and humanitarian agencies should document attacks, study direct and indirect mortality, strengthen trauma and referral systems, and develop practical approaches to rehabilitation and continuity of chronic-disease care. Data collection must be accurate and ethical and must not expose patients or health workers to additional danger. Medical journals should create space for clinicians working in conflict-affected settings while preserving scientific independence, transparent attribution and acknowledgement of uncertainty.^{1,10}

Conclusion

War is one of the greatest tests of medical ethics. Hospitals should remain places of healing, ambulances vehicles of rescue and healthcare workers free to treat without fear. From Yemen to Gaza and the West Bank, Iraq, Iran, Lebanon, Ukraine and every conflict-affected region, medicine has a duty that transcends geography and politics: to preserve life, relieve suffering, protect dignity and defend the humanitarian space in which care can exist. When societies are divided by conflict, medicine must refuse to divide humanity.

References

1. International Committee of the Red Cross. Health Care in Danger: the responsibilities of health-care personnel working in armed conflicts and other emergencies. Geneva: ICRC; 2012.
2. World Health Organization. Attacks on hospitals and health workers jeopardize provision of health in Lebanon [Internet]. Geneva: WHO; 2024 Oct 16
3. World Health Organization. Health system at breaking point as hostilities further intensify in Gaza, WHO warns [Internet]. Geneva: WHO; 2025 May 22
4. El-Taji O, Ali A, Alser O, Ghali A, Jomaa A, Sultan MJ, et al. Patterns of war related trauma in Gaza during armed conflict: survey study of international healthcare workers. *BMJ*. 2025; 390:e087524.
5. Truppa C, Yaacoub S, Valente M, Celentano G, Ragazzoni L, Saulnier DD. Health systems resilience in fragile and conflict-affected settings: a systematic scoping review. *Confl Health*. 2024;18(1):2.
6. World Health Organization. Mental health in emergencies [Internet]. Geneva: WHO; 2025 May 6
7. Naser AY, Ali MM, Sammour AAH, Skaik AN, Abed A, Musallam R, et al. Prevalence of stress, anxiety and depression among healthcare workers in the Gaza strip. *Medicine (Baltimore)*. 2025;104(36):e44195.
8. Alqaissi N, Qtait M, Jaradat Y, Aburayyan L, Awwad KA, Mesk Z, et al. Psychological challenges of nurses working at hospitals in South West Bank, during war on Gaza Strip. *Disaster Med Public Health Prep*. 2025;19:e209.
9. Truppa C, Saulnier DD, Bertone MP, Yamonn N, Hafez S, Witter S, et al. Getting unstuck: reframing health systems strengthening and resilience in fragile and conflict-affected settings. *BMJ Glob Health*. 2026;11(2):e020061.
10. World Health Organization. Classification and minimum standards for emergency medical teams. Geneva: WHO; 2021.