

ISSN : 2309-3234

DOI : 10.62948

TMSS Medical College Journal (TMCJ)

Volume 25, Issue 01, January 2026

Contents

Editorial

- ♦ From Immunohistochemistry to Molecular Testing for the Precision Cancer Management of Breast Cancer. 07-09
Rahman DA, Akter S.

Original Article

- ♦ Immunohistochemistry-Based Molecular Subtype Distribution of Invasive Breast Cancer and Its Clinicopathological Correlates in a Bangladeshi Cohort. 11-23
Rahman DA, Habib AA, Mazid A, Akter S, Ahmed F, Benzir M, Sakib MN, Rahman MT, Alamgir MH.
- ♦ Students' Perception of the Educational Environment Using the Dundee Ready Education Environment Measure (DREEM) at TMSS Medical College, Bogura, Bangladesh. 25-36
Habib MA, Hoque SMM, Ansari AAM, Tasnim T, Arzuman H.
- ♦ Menstrual Disorders and Relationship with Psychological Stress among Medical Students 37-43
Zohura FT, Rahman F, Jahan R, Alam MM, Ferdous R.
- ♦ Prognostic Significance of COL10A1 Overexpression in Breast Cancer Patients from Different Sociodemographic Backgrounds. 44-51
Roy NR, Das D, Hoque F, Jannat T, Tasnim A.
- ♦ Resource-Optimized PRP: A Comparative Study of Anticoagulants and Centrifugation Techniques in Bangladesh. 53-60
Hoque MA, Masud MAA, Basak SK, Mamun AA.
- ♦ Clinical Presentation and Culture Yield of Urinary Tract Infection Among Symptomatic Pregnant Women: A Tertiary Hospital Experience. 61-68
Sultana T, Akhther MH, Mahamuduzzaman AS, Shireen F, Parvin MR.



An Official Publication of TMSS Medical College



TMSS Medical College Journal (TMCJ)

January 2026

An Official Publication
of
TMSS Medical College, Bogura, Bangladesh

TMSS Medical College Journal (TMCJ)

Volume 25, Issue. 01, January 2026

An Official Publication of TMSS Medical College, Bogura, Bangladesh

Advisory Board

Prof. Dr. Hosne-Ara Begum
 Prof. Dr. Jawadul Haque
 Prof. Dr. Sayeba Akhter
 Prof. Dr. M. Afzal Hossain
 Prof. Dr. M. Aminul Islam
 Prof. Dr. Shamima Parvin Lasker

Editorial Board

Chairperson : Prof. Dr. Md. Zakir Hossain
Editor-in-Chief : Prof. Dr. Md. Shahjahan Ali Sarker
Associate Editor : Prof. Dr. Md. Abdul Mazid
Advisory Editor : Prof. Dr. Moudud Hossain Alamgir
Managing Editor : Dr. Md. Matiur Rahman

Local Members

Prof. Dr. A.K.M Ahsan Habib
 Prof. Dr. Md. Azfarul Habib
 Prof. Dr. Md. Rafiqul Islam
 Prof. Dr. Md. Anup Rahman Choudhury
 Prof. Dr. Nur-A-Farhana Islam
 Prof. Dr. Nahida Akther Zahan
 Prof. Dr. Tania Yeasmin
 Prof. Dr. Sultana Razia
 Prof. Dr. Shamim Ahmed Choudhury
 Prof. Dr. Md. Amirul Islam
 Dr. D. M Arifur Rahman
 Dr. Fahim Uddin Ahmad
 Dr. Md. Ahamedul Kabir

International Members

Prof. Dr. Dhananjaya Sharma
 Prof. Dr. Anurag Srivastava
 Prof. Dr. Shariq Rashid Mosoodi
 Prof. Olav Muurlink
 Prof. Dr. Paul Mailwaring
 Prof. Dr. Md. Faizus Sazzad
 Prof. Soraj Hongladarom
 Prof. Ravichandran Moorthy
 Prof. Darryl Macer
 Prof. Dr. Hasan Erbay

The TMSS Medical College Journal (TMCJ) is published two times a year (January and July). The TMSS Medical College Journal (TMCJ) is approved by Bangladesh Medical & Dental Council (BM&DC/4-D-2016/1478: Dated 15.01.2017). It accepts original articles, review articles and case reports. While every effort is always made by the Editorial Board and the members of the Journal Committee to avoid inaccurate or misleading information appearing in the TMSS Medical College Journal, information within the individual article are the responsibility of its author(s). The TMSS Medical College Journal, its Editorial Board and Journal Committee accept no liability whatsoever for the consequences of any such inaccurate and misleading information, opinion or statement.

Address of Correspondence

Editor-in-Chief, TMSS Medical College Journal, TMSS Medical College
 Rangpur Road, Thengamara, Bogura, Bangladesh. Phone: 01775-316617
 e-mail: editortmcjournal@gmail.com, Web: www.tmcjournal.org, www.tmssmedicalcollege.com

Printed by: TMSS Printing Press, Bogura, Bangladesh. e-mail: tmssprintingpress@gmail.com

TMSS Medical College Journal (TMCJ)

INFORMATION FOR AUTHORS

TMSS Medical College Journal (TMCJ) follows the guidelines and principles of the International Committee of Medical Journal Editors- ICMJE (www.icmje.org) and the COPE (www.publicationethics.org). Papers are accepted for publication with an understanding that they are submitted solely to the journal of 'TMSS Medical College Journal' and are subject to peer review and editorial revision. The statement, views and opinions expressed in the articles are those of the author(s) and are not necessarily those of the editor or publisher.

General Instructions

- a. Article must be within 5 years of research work.
- b. Authors of research work should be of relevant fields.
- c. Manuscript must be in English, Use Times New Roman 11 sized font.
- d. Type manuscripts double-spaced, on a good quality A4 sized paper, including references, figures with legends and tables on one side of the page only.
- e. Leave a margin of 05 cm on all sides of the page. Beginning with abstract page, all the pages (including pages containing tables, figures and references) will contain page numbers at the lower right-hand corner.
- f. Cite each reference in text in numerical order and list in the reference section.
- g. Begin each component of the manuscript with a new page in the sequence of (i) Title page with author information, name of the department(s) and institutions to which the work should be attributed, name and address of the author with post code responsible for correspondence and requests for reprints (ii) Abstract page (iii) Text (iv) References (v) Tables (vi) Figures with legends, for illustrations.
- h. Present the text in the sequence of Introduction, Methods & Materials, Results and Discussion.
- i. Use SI units of measurements (for blood pressure use mm of Hg).
- j. Define Statistical methods in method section of the paper.
- k. Use standard abbreviations, the full forms of which should precede in its first use in the text
- l. As a general rule, articles should not exceed 10-12 pages. Too much large volume manuscripts will not be accepted for publication.

Submission process

With two copies of manuscript (hard copy) directly or by courier or postal services to Editor-in-chief, TMSS Medical College Journal and/or A soft copy of Manuscript (MS Word) must be sent to editortmcjournal@gmail.com with scanned copy of all desired documents. Online submission will be possible through <https://www.tmcjournal.org>

Covering letter

Article must be accompanied by a covering letter, signed by all authors, containing statements that they are the only authors, The article represents original work and we take full responsibility for the information provided, the Manuscript has not been published elsewhere, accepted for publication elsewhere or under editorial review for publication elsewhere by any other journal. All copyright ownership of the manuscript will be transferred to the publishers of the TMSS Medical College Journal (TMCJ) once the article is accepted for publication in the journal. They must declare that they made the manuscript plagiarism free. On submission of the manuscript, the authors agree not to withdraw their manuscript at any stage prior to publication. Acknowledgements, Conflicts of interest & Funding are clearly mentioned, if any.

Author's contribution

In case of multiple authors, need an author contribution certificate (or statement) about specific contribution of each author in the study and the manuscript has been seen and approved as well as the order of authors in the manuscript.

Ethical Issues

Author must submit a copy of clearance certificate from an Institutional Ethical Review Board (IERB) or Institutional review Board (IRB) or Ethical Committee or from any authorized body along with the manuscript & mention the memo number within bracket in the methodology section while describing ethical issues.

Title page with author information (first page, but do not number)

- a. Full title of the article not exceeding 50 characters with three to five key words for use as indexing terms and as running title for use on top of the text pages.
- b. Author's names, highest academic degree, affiliations, and complete address for correspondence including Telephone/Mobile number, and e-mail address.

Abstract page (First numbered page)

- a. Do not cite references in the abstract. Be concise (250 words, maximum).
- b. Limit use of acronyms and abbreviations. Abbreviations must be defined at the first mention.
- c. The abstract should be a total of about 250 words maximum. Abstract should cover Background and Purpose (description of rationale for study); Methods (brief description of methods); Results (presentation of significant results); and Conclusion (succinct statement of data interpretation) in separate headings.

The Text/Main body

The following are typical main headings:

Introduction, Materials and Methods, Results, Discussion and Conclusion

- a. Introduction: Summarize the rationale for the study with pertinent references. The purpose(s) of the study should be clearly stated.
- b. Materials and Methods: Identify type of study and describe the study subjects and methods used. Provide methods of statistical analysis, Cite reference(s) for standard study and statistical methods. Describe new or modified methods. Identify apparatus (with name and address of manufacturer) used. Generic names of drugs must be given. Manuscripts that describe studies on humans must indicate that the study was approved by an Institutional Ethical Committee and that the subjects gave informed consent. Add statistical analysis.
- c. Results: Present only important results/observations in logical sequence in the text, tables or illustrations with relevant statistics.
- d. Discussion: Emphasize new and important results and the conclusions that follow including implications and limitations. Relate observations to other relevant studies.
- e. References: References must be listed following the Vancouver style. These should be numbered consecutively in the order in which they are first mentioned in the text as superscript number. Number of references should be kept below 40 except review article. All authors must be listed if less than six. Use et al, if more.
- f. Table & Figures: Tables & figures should be placed within the text of the manuscript. Number of tables & figures consecutively in the order of their first citation in the text. Tables should not duplicate in the text of the article and avoid internal horizontal & vertical rules. Total number of tables & figures must not exceed 10.

Editorial**From Immunohistochemistry to Molecular Testing for the Precision Cancer Management of Breast Cancer**Rahman DA¹, Akter S²

1. Dr. DM Arifur Rahman, Associate Professor, Department of Pathology, TMSS Medical College, Bogura.

2. Shormily Akter, Scientist, TMSS Biomolecular Lab, TMSS Medical College, Bogura.

Introduction

Breast cancer is not a single disease. It is a biologically heterogeneous collection of malignancies, each with its own molecular fingerprint, natural history, and therapeutic vulnerability. For decades, the clinical management of breast cancer rested on a triad of morphology, staging, and the immunohistochemical (IHC) expression of three cardinal biomarkers: estrogen receptor (ER), progesterone receptor (PR), and human epidermal growth factor receptor 2 (HER2), supplemented by the proliferation index Ki-67.¹ This IHC-based surrogate classification formalised by the St. Gallen International Expert Consensus has undeniably transformed breast oncology, stratifying patients into five clinically actionable subtypes and guiding systemic therapy decisions with meaningful prognostic discrimination.² Yet the limitations of this approach have grown increasingly apparent as precision oncology matures: IHC surrogates achieve molecular concordance of only 80–85% with gene expression profiling, are subject to inter observer variability, and critically fail to capture the dynamic intra-tumoral genomic complexity that underlies treatment resistance.³

The clinical imperative to move beyond IHC is now well evidenced. Multigene expression assays Oncotype DX, MammaPrint, Prosigna, and Endo Predict have demonstrated robust prospective validation as tools for chemotherapy decision-making in hormone receptor-positive, HER2 negative early breast cancer, with the TAILORx and MINDACT trials establishing their capacity to spare a substantial proportion of patients from unnecessary cytotoxic therapy.^{4,5} In the HER2 positive space, the DESTINY

Breast04 trial redefined the therapeutic boundary of HER2 classification, demonstrating that trastuzumab-deruxtecan (T-DXd) achieves significant survival benefit in HER2 low tumours- IHC score 1+ or 2+ with negative in situ hybridization a category entirely invisible to conventional HER2-positive/negative binary classification.⁶ This landmark finding alone renders the binary IHC framework clinically obsolete for a subset of patients and underscores the need for refined biomarker stratification.

For triple-negative breast cancer (TNBC), historically defined by the absence of ER, PR, and HER2 expression, the paradigm shift has been equally dramatic. Next-generation sequencing (NGS) based profiling has dissected TNBC into at least six molecular subtypes including basal like 1 and 2, immunomodulatory, mesenchymal, mesenchymal stem like, and luminal androgen receptor subtypes each with distinct therapeutic vulnerabilities.⁷ BRCA1/2 germline mutation testing now guides PARP inhibitor use, PD-L1 IHC combined with immune gene signatures directs pembrolizumab eligibility, and PIK3CA/AKT1 pathway mutations are emerging targets in advanced disease.^{8,9} IHC alone cannot adequately navigate this complexity.

Against this evolving landscape, the article by Rahman et al. published in this issue presents a timely and clinically significant dataset. The authors characterise the IHC-based molecular subtype distribution of 107 invasive breast carcinoma patients from a Bangladeshi tertiary centre, revealing that TNBC constitutes 30.8% of cases substantially exceeding global rates of 15–20% while Luminal A accounts for only 26.2%.¹⁰ These findings delineate a population with a

disproportionate burden of the most therapeutically challenging subtype, in a setting where NGS based molecular testing remains largely inaccessible. Significant associations between molecular subtypes and histological grade ($p < 0.004$) and lymph node metastasis ($p < 0.035$) validate the biological credibility of their IHC classification and highlight the indispensability of even basic molecular stratification in guiding oncological decisions.

The study from Rahman et al. is therefore both an endorsement of IHC as the essential foundation in resource limited settings and an implicit call to action for the next step. IHC remains irreplaceable as the accessible, affordable, and reproducible cornerstone of breast cancer diagnostics globally; however, it must increasingly be regarded as the beginning, not the end, of the molecular diagnostic pathway.¹¹ As NGS platforms become more affordable and liquid biopsy technologies mature, integration of comprehensive genomic profiling into routine breast oncology workflows is no longer a futuristic aspiration but an immediate translational priority even in low and middle income countries.¹²

The trajectory is clear: precision breast cancer management demands a staged, scalable molecular diagnostic framework in which IHC provides the initial subtype scaffold, and targeted molecular testing multigene assays, hotspot mutation panels, and ultimately comprehensive NGS refines therapeutic decision making at each clinical decision point. Bridging this translational gap equitably, across all geographies and economic contexts, remains the defining challenge of the next decade in breast oncology.

References

1. Goldhirsch A, Wood WC, Coates AS, Gelber RD, Thürlimann B, Senn HJ. Strategies for subtypes—dealing with the diversity of breast cancer: highlights of the St. Gallen International Expert Consensus on the Primary Therapy of Early Breast Cancer 2011. *Ann Oncol.* 2011; 22(8):1736-47.
2. Coates AS, Winer EP, Goldhirsch A, Gelber RD, Gnant M, Piccart-Gebhart M, et al. Tailoring therapies-improving the management of early breast cancer: St Gallen International Expert Consensus 2015. *Ann Oncol.* 2015;26 (8): 1533-46.
3. Vasconcelos I, Hussainzada A, Berger S, Fietze E, Linke J, Siedentopf F, Schoenegg W. The St. Gallen surrogate classification for breast cancer subtypes successfully predicts tumor presenting features, nodal involvement, recurrence patterns and disease free survival. *Breast.* 2016;29:181-5.
4. Sparano JA, Gray RJ, Makower DF, Pritchard KI, Albain KS, Hayes DF, et al. Adjuvant chemotherapy guided by a 21-gene expression assay in breast cancer. *N Engl J Med.* 2018; 379(2):111-21.
5. Cardoso F, van't Veer LJ, Bogaerts J, Slaets L, Viale G, Delaloge S, et al. 70-Gene signature as an aid to treatment decisions in early-stage breast cancer. *N Engl J Med.* 2016;375(8):717-29.
6. Modi S, Jacot W, Yamashita T, Sohn J, Vidal M, Tokunaga E, et al. Trastuzumab deruxtecan in previously treated HER2-low advanced breast cancer. *N Engl J Med.* 2022;387(1):9-20.
7. Lehmann BD, Bauer JA, Chen X, Sanders ME, Chakravarthy AB, Shyr Y, Pietersenpol JA. Identification of human triple-negative breast cancer subtypes and preclinical models for selection of targeted therapies. *J Clin Invest.* 2011;121(7):2750-67.
8. Robson M, Im SA, Senkus E, Xu B, Domchek SM, Masuda N, et al. Olaparib for metastatic breast cancer in patients with a germline BRCA mutation. *N Engl J Med.* 2017;377(6):523-33.
9. Schmid P, Cortes J, Pusztai L, McArthur H, Kümmel S, Bergh J, et al. Pembrolizumab for

- early triple-negative breast cancer. *N Engl J Med.* 2020;382(9):810-21.
10. Rahman DMA, Habib AKMA, Mazid A, Akter S, Ahmed F. Molecular classification of invasive breast cancer using immunohistochemical surrogate markers according to St. Gallen criteria: a cross-sectional study from a tertiary care centre in Bangladesh 2025; Tsang JY, Tse GM. Molecular classification of breast cancer. *Adv Anat Pathol.* 2020;27(1):27-35.
11. Bray F, Laversanne M, Sung H, Ferlay J, Siegel RL, Soerjomataram I, Jemal A. Global cancer statistics 2022: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA Cancer J Clin.* 2024;74(3):229-63.